



Registration Details

SPAN Listing No. : 300-10/13/A/W-11

Supplier : **AZEETA PIPE SYSTEM SDN. BHD. - 455260-W**

LOT 12694, LOT TJ 2/3 TUANKU JAAFAR INDUSTRIAL PARK SUNGAI
GADUT 71450 SEREMBAN NEGERI SEMBILAN DARUL KHUSUS Tel:
60351218987 /Fax: 60351218978

Manufacturer : AZEETA PIPE SYSTEM SDN. BHD. LOT 12694, LOT TJ 2/3 TUANKU JAAFAR
INDUSTRIAL PARK SUNGAI GADUT 71450 SEREMBAN NEGERI SEMBILAN
DARUL KHUSUS

Principal : AZEETA PIPE SYSTEM SDN. BHD. LOT 12694, LOT TJ 2/3 TUANKU JAAFAR
INDUSTRIAL PARK SUNGAI GADUT NEGERI SEMBILAN DARUL KHUSUS

Category : A (WATER)

Group : CONVEYANCE OF WATER

Product : PIPES

Type : POLYPROPYLENE (PP) PIPE

Sub-type : NA

Details
Information

| Model | Series | Description |
|---|---|---|
| APPLICATION CLASS 2; DIMENSION : CLASS A | DESIGN PRESSURE (PD) : 4 BAR; PIPE SERIES : S5 | NOMINAL SIZE DN/OD (MM) : 20, 25, 32, 40, 50, 63, 75, 90 AND 110. MATERIAL DESIGNATION : PP-R (TYPE 3); JOINTING SYSTEM : SOCKET WELDED JOINT |
| APPLICATION CLASS 2; DIMENSION : CLASS A | DESIGN PRESSURE (PD) : 6 BAR; PIPE SERIES : S3.2 | NOMINAL SIZE DN/OD (MM) : 20, 25, 32, 40, 50, 63,75, 90 AND 110. MATERIAL DESIGNATION : PP-R (TYPE 3); JOINTING SYSTEM : SOCKET WELDED JOINT |
| APPLICATION CLASS 2; DIMENSION : CLASS A | DESIGN PRESSURE (PD) : 8 BAR; PIPE SERIES : S2.5 | NOMINAL SIZE DN/OD (MM) : 20, 25, 32, 40, 50, 63,75, 90 AND 110. MATERIAL DESIGNATION : PP-R (TYPE 3); JOINTING SYSTEM : SOCKET WELDED JOINT |

Brands : azeeta

Standard : MS 2286-2:2012

| | |
|--------------------------------------|------------------------------------|
| Certificate body & Certificate No | : PC002175 |
| Certification Scope | : PIPES-POLYPROPYLENE (PP) PIPE-NA |
| Valid Until | : 2025/02/26 |

This report is computer generated and no signature is required. SPAN will not responsible for any misuse of this report. Please contact SPAN at 03-83179333/334/335 for verification of any information established in this report.